## PS1 StackObjectAttributes table fields

The starting point for the PS1 data archive is at Pan-STARRS1 data archive home page.

Description: Contains the PSF, Kron (1980), and aperture fluxes for all filters in a single row, along with point-source object shape parameters. See StackObjectThin table for discussion of primary, secondary, and best detections. References: Kron, R. G. 1980, ApJS, 43, 305.

| Name                 | Unit              | Data<br>Type | Size | Default<br>Value | Description  |
|----------------------|-------------------|--------------|------|------------------|--|
| objID                | dimensionl<br>ess | BIGINT       | 8    | NA               | Unique object identifier.  |
| uniquePsp<br>sSTid   | dimensionl<br>ess | BIGINT       | 8    | NA               | Unique internal PSPS stack identifier.   |
| ippObjlD             | dimensionl<br>ess | BIGINT       | 8    | NA               | IPP internal object identifier.  |
| randomSta<br>ckObjlD | dimensionl<br>ess | FLOAT        | 8    | NA               | Random value drawn from the interval between zero and one.                               |
| primaryDet ection    | dimensionl<br>ess | TINYINT      | 1    | 255              | Identifies if this row is the primary stack detection.                                   |
| bestDetecti<br>on    | dimensionl<br>ess | TINYINT      | 1    | 255              | Identifies if this row is the best detection.  |
| gippDetectID         | dimensionl<br>ess | BIGINT       | 8    | NA               | IPP internal detection identifier.   |
| gstackDete<br>ctID   | dimensionl<br>ess | BIGINT       | 8    | NA               | Unique stack detection identifier.   |
| gstacklmag<br>eID    | dimensionl<br>ess | BIGINT       | 8    | NA               | Unique stack identifier for g filter detection.  |
| gxPos                | sky pixels        | REAL         | 4    | -999             | PSF x center location from g filter stack detection.                                     |
| gyPos                | sky pixels        | REAL         | 4    | -999             | PSF y center location from g filter stack detection.                                     |
| gxPosErr             | sky pixels        | REAL         | 4    | -999             | Error in PSF x center location from g filter stack detection.                            |
| gyPosErr             | sky pixels        | REAL         | 4    | -999             | Error in PSF y center location from g filter stack detection.                            |
| gpsfMajorF<br>WHM    | arcsec            | REAL         | 4    | -999             | PSF major axis FWHM from g filter stack detection.                                       |
| gpsfMinorF<br>WHM    | arcsec            | REAL         | 4    | -999             | PSF minor axis FWHM from g filter stack detection.                                       |
| gpsfTheta            | degrees           | REAL         | 4    | -999             | PSF major axis orientation from g filter stack detection.                                |
| gpsfCore             | dimensionl<br>ess | REAL         | 4    | -999             | PSF core parameter k from g filter stack detection, where F = F0 / (1 + k r^2 + r^3.33). |
| gpsfLikelih<br>ood   | dimensionl<br>ess | REAL         | 4    | -999             | Likelihood that this g filter stack detection is best fit by a PSF.                      |
| gpsfQf               | dimensionl<br>ess | REAL         | 4    | -999             | PSF coverage factor for g filter stack detection.  |
| gpsfQfPerf<br>ect    | dimensionl<br>ess | REAL         | 4    | -999             | PSF-weighted fraction of pixels totally unmasked for g filter stack detection.           |
| gpsfChiSq            | dimensionl<br>ess | REAL         | 4    | -999             | Reduced chi squared value of the PSF model fit for g filter stack detection.             |
| gmomentXX            | arcsec^2          | REAL         | 4    | -999             | Second moment M_xx for g filter stack detection.   |
| gmomentXY            | arcsec^2          | REAL         | 4    | -999             | Second moment M_xy for g filter stack detection.   |
| gmomentYY            | arcsec^2          | REAL         | 4    | -999             | Second moment M_yy for g filter stack detection.   |
| gmomentR1            | arcsec            | REAL         | 4    | -999             | First radial moment for g filter stack detection.  |
| gmomentRH            | arcsec^0.5        | REAL         | 4    | -999             | Half radial moment (r^0.5 weighting) for g filter stack detection.                       |
| gPSFFlux             | Janskys           | REAL         | 4    | -999             | PSF flux from g filter stack detection.  |
| gPSFFluxE<br>rr      | Janskys           | REAL         | 4    | -999             | Error in PSF flux from g filter stack detection.   |

| gApFlux         Janskys         REAL         4         -999         Aperture flux from g filter stack detection.           gApFillFace dimensional ess         REAL ess         4         -999         Error in aperture flux from g filter stack detection.           gApRadius arcsec         REAL ess         4         -999         Aperture radius for g filter stack detection.           gKronFlux         Janskys         REAL ess         4         -999         Aperture radius for g filter stack detection.           gKronFlux         Janskys         REAL ess         4         -999         Kron (1980) flux from g filter stack detection.           gKronFlux         Janskys         REAL ess         4         -999         Kron (1980) flux from g filter stack detection.           gKronRad         arcsec         REAL ess         4         -999         Kron (1980) radius from g filter stack detection.           gexpTime         seconds         REAL ess         4         -999         Exposure time of the g filter stack detection.           gExtNSigma         dimensionl ess         REAL ess         4         -999         An extendedness measure for the g filter stack detection based on the deviation between PSF and hease         4         -999         Residual background sky level at the g filter stack detection.           gsky         Janskys / Arcsec^22  |         |
|---|---------|
| GAPFIIIFac         dimension less         REAL ess         4         -999         Aperture fill factor from g filter stack detection.           gApRadius         arcsec         REAL ess         4         -999         Aperture radius for g filter stack detection.           gKronFlux         Janskys         REAL ess         4         -999         Kron (1980) flux from g filter stack detection.           gKronFlux Err         Janskys         REAL ess         4         -999         Error in Kron (1980) flux from g filter stack detection.           gexpTime         seconds         REAL ess         4         -999         Kron (1980) flux from g filter stack detection.           gexpTime         seconds         REAL ess         4         -999         Kron (1980) flux from g filter stack detection.           gexpTime         seconds         REAL ess         4         -999         Kron (1980) flux from g filter stack detection.           gexpTime         seconds         REAL ess         4         -999         Kron (1980) flux from g filter stack. Necessary for converting listed fluxes and magnitudes back to measured ADU counts.           gsky         Janskys admension ess         REAL ess         4         -999         Residual background sky level at the g filter stack detection.           gpTeateScale arcsec pixed         REAL ess         4   |         |
| gApRadius         arcsec         REAL         4         -999         Aperture radius for g filter stack detection.           gKronFlux         Janskys         REAL         4         -999         Kron (1980) flux from g filter stack detection.           gKronFlux         Janskys         REAL         4         -999         Error in Kron (1980) flux from g filter stack detection.           gKronRad         arcsec         REAL         4         -999         Kron (1980) radius from g filter stack detection.           gexpTime         seconds         REAL         4         -999         Exposure time of the g filter stack. Necessary for converting listed fluxes and magnitudes back to measured ADU counts.           gExthSigma         dimension ass         REAL         4         -999         An extendedness measure for the g filter stack detection based on the deviation between PSF and he research ass           gsky         Janskys Acrosec^2         REAL         4         -999         Residual background sky level at the g filter stack detection.           gsky         Janskys Acrosec^2         REAL         4         -999         Error in residual background sky level at the g filter stack detection.           grace place         REAL         4         -999         Photometric zeropoint for the g filter stack. Necessary for converting listed fluxes and magnitudes be measured ADU counts.  |         |
| gKronFlux         Janskys         REAL         4         -999         Kron (1980) flux from g filter stack detection.           gKronFlux         Janskys         REAL         4         -999         Error in Kron (1980) flux from g filter stack detection.           gKronRad         arcsec         REAL         4         -999         Kron (1980) radius from g filter stack detection.           gexpTime         seconds         REAL         4         -999         Exposure time of the g filter stack. Necessary for converting listed fluxes and magnitudes back to measured ADU counts.           gExtNSigma         dimension less         REAL         4         -999         An extendedness measure for the g filter stack detection based on the deviation between PSF and from the passion of the grade of the pSF magnitude uncertainty.           gsky         Janskys Jansky |         |
| Err         gKronRad         arcsec         REAL         4         -999         Kron (1980) radius from g filter stack detection.           gexpTime         seconds         REAL         4         -999         Exposure time of the g filter stack. Necessary for converting listed fluxes and magnitudes back to measured ADU counts.           gExtNSigma         dimension ess         REAL         4         -999         An extendedness measure for the g filter stack detection based on the deviation between PSF and h (1980) magnitudes, normalized by the PSF magnitude uncertainty.           gsky         Janskys /arcsec^2         REAL         4         -999         Residual background sky level at the g filter stack detection.           gskyErr         Janskys /arcsec^2         REAL         4         -999         Error in residual background sky level at the g filter stack detection.           gzp         magnitudes         REAL         4         -999         Error in residual background sky level at the g filter stack. Necessary for converting listed fluxes and magnitudes bar measured ADU counts.           gPlateScale         arcsec /pixel         REAL         4         0         Local plate scale for the g filter stack. Necessary for converting listed fluxes and magnitudes bar measured ADU counts.           rippDetectID         dimensionless         BIGINT         8         NA         IPP internal detection identifier.           rs  |         |
| gexpTime         seconds         REAL         4         -999         Exposure time of the g filter stack. Necessary for converting listed fluxes and magnitudes back to measured ADU counts.           gExtNSigma         dimension less         REAL         4         -999         An extendedness measure for the g filter stack detection based on the deviation between PSF and M (1980) magnitudes, normalized by the PSF magnitude uncertainty.           gsky         Janskys / arcsec^2         REAL         4         -999         Residual background sky level at the g filter stack detection.           gzp         magnitudes         REAL         4         -999         Error in residual background sky level at the g filter stack detection.           gPlateScale         REAL         4         -999         Error in residual background sky level at the g filter stack detection.           gPlateScale         REAL         4         0         Photometric zeropoint for the g filter stack. Necessary for converting listed fluxes and magnitudes bath measured ADU counts.           gPlateScale         REAL         4         0         Local plate scale for the g filter stack.           rippDetectID         dimensionl ess         BIGINT         8         NA         IPP internal detection identifier.           rstackDete ctID         dimensionl ess         BIGINT         8         NA         Unique stack detection identifier for r filter det   |         |
| measured ADU counts.  gExtNSigma dimension ess  |         |
| ess (1980) magnitudes, normalized by the PSF magnitude uncertainty.  gsky Janskys /arcsec^2 REAL 4 -999 Residual background sky level at the g filter stack detection.  gskyErr Janskys /arcsec^2 REAL 4 -999 Error in residual background sky level at the g filter stack detection.  gzp magnitudes REAL 4 0 Photometric zeropoint for the g filter stack. Necessary for converting listed fluxes and magnitudes bath measured ADU counts.  gPlateScale arcsec /pixel REAL 4 0 Local plate scale for the g filter stack.  rippDetectID dimension ess BIGINT 8 NA IPP internal detection identifier.  rstackDete ctID dimension ess BIGINT 8 NA Unique stack detection identifier.  gStackImag dimension ess BIGINT 8 NA Unique stack identifier for r filter detection.   |         |
| gskyErr       Janskys /arcsec^2       REAL       4       -999       Error in residual background sky level at the g filter stack detection.         gzp       magnitudes       REAL       4       0       Photometric zeropoint for the g filter stack. Necessary for converting listed fluxes and magnitudes be measured ADU counts.         gPlateScale / pixel       REAL       4       0       Local plate scale for the g filter stack.         rippDetectID dimensionl ess       BIGINT       8       NA       IPP internal detection identifier.         rstackDete ctID       dimensionl ess       BIGINT       8       NA       Unique stack detection identifier.         rstackImag elD       dimensionl ess       BIGINT       8       NA       Unique stack identifier for r filter detection.   | d Kron  |
| gzp       magnitudes       REAL       4       0       Photometric zeropoint for the g filter stack. Necessary for converting listed fluxes and magnitudes be measured ADU counts.         gPlateScale       arcsec /pixel       REAL       4       0       Local plate scale for the g filter stack.         rippDetectID       dimension ess       BIGINT       8       NA       IPP internal detection identifier.         rstackDete ctID       dimension ess       BIGINT       8       NA       Unique stack detection identifier.         rstackImag eID       dimension ess       BIGINT       8       NA       Unique stack identifier for r filter detection.  |         |
| gPlateScale arcsec //pixel REAL 4 0 Local plate scale for the g filter stack.  rippDetectID dimensionI ess BIGINT 8 NA IPP internal detection identifier.  rstackDete ctID ess BIGINT 8 NA Unique stack detection identifier.  rstackImag elD ess BIGINT 8 NA Unique stack identifier for r filter detection.   |         |
| /pixel         rippDetectID       dimensionI ess       BIGINT ess       NA       IPP internal detection identifier.         rstackDete ctID       dimensionI ess       BIGINT ess       NA       Unique stack detection identifier.         rstackImag eID       BIGINT ess       NA       Unique stack identifier for r filter detection.  | back to |
| rstackDete ctID dimension less BIGINT 8 NA Unique stack detection identifier.  rstackImag elD limension less BIGINT 8 NA Unique stack identifier for r filter detection.  |         |
| ctID     ess       rstackImag eID     dimension ess     BIGINT     8     NA     Unique stack identifier for r filter detection.   |         |
| eID ess   |         |
| rxPos sky pixels REAL 4 -999 PSF x center location from r filter stack detection.   |         |
|   |         |
| ryPos sky pixels REAL 4 -999 PSF y center location from r filter stack detection.   |         |
| rxPosErr sky pixels REAL 4 -999 Error in PSF x center location from r filter stack detection.   |         |
| ryPosErr sky pixels REAL 4 -999 Error in PSF y center location from r filter stack detection.   |         |
| rpsfMajorF<br>WHM     arcsec     REAL     4     -999     PSF major axis FWHM from r filter stack detection.   |         |
| rpsfMinorF<br>WHM     arcsec     REAL     4     -999     PSF minor axis FWHM from r filter stack detection.   |         |
| rpsfTheta         degrees         REAL         4         -999         PSF major axis orientation from r filter stack detection.   |         |
| rpsfCore dimension   REAL   4   -999   PSF core parameter k from r filter stack detection, where F = F0 / (1 + k r^2 + r^3.33).   |         |
| rpsfLikelih ood dimensionl ess REAL 4 -999 Likelihood that this r filter stack detection is best fit by a PSF.  |         |
| rpsfQf dimensionI ess REAL 4 -999 PSF coverage factor for r filter stack detection.   |         |
| rpsfQfPerfe ct dimension ess REAL 4 -999 PSF-weighted fraction of pixels totally unmasked for r filter stack detection.   |         |
| rpsfChiSq dimension ess REAL 4 -999 Reduced chi squared value of the PSF model fit for r filter stack detection.  |         |
| rmomentXX         arcsec^2         REAL         4         -999         Second moment M_xxx for r filter stack detection.  |         |
| rmomentXY arcsec^2 REAL 4 -999 Second moment M_xy for r filter stack detection.   |         |
| rmomentYY         arcsec^2         REAL         4         -999         Second moment M_yy for r filter stack detection.   |         |
| rmomentR1 arcsec REAL 4 -999 First radial moment for r filter stack detection.  |         |
| rmomentRH arcsec^0.5 REAL 4 -999 Half radial moment (r^0.5 weighting) for r filter stack detection.   |         |
| rPSFFlux         Janskys         REAL         4         -999         PSF flux from r filter stack detection.  |         |
| rPSFFluxErr Janskys REAL 4 -999 Error in PSF flux from r filter stack detection.  |         |
| rApFlux Janskys REAL 4 -999 Aperture flux from r filter stack detection.  |         |
| rApFluxErr Janskys REAL 4 -999 Error in aperture flux from r filter stack detection.  |         |

| rApFillFac         | dimensionl<br>ess    | REAL   | 4 | -999 | Aperture fill factor from r filter stack detection.  |
|--------------------|----------------------|--------|---|------|--|
| rApRadius          | arcsec               | REAL   | 4 | -999 | Aperture radius for r filter stack detection.  |
| rKronFlux          | Janskys              | REAL   | 4 | -999 | Kron (1980) flux from r filter stack detection.  |
| rKronFluxE<br>rr   | Janskys              | REAL   | 4 | -999 | Error in Kron (1980) flux from r filter stack detection.   |
| rKronRad           | arcsec               | REAL   | 4 | -999 | Kron (1980) radius from r filter stack detection.  |
| rexpTime           | seconds              | REAL   | 4 | -999 | Exposure time of the r filter stack. Necessary for converting listed fluxes and magnitudes back to measured ADU counts.  |
| rExtNSigma         | dimensionl<br>ess    | REAL   | 4 | -999 | An extendedness measure for the r filter stack detection based on the deviation between PSF and Kron (1980) magnitudes, normalized by the PSF magnitude uncertainty. |
| rsky               | Janskys<br>/arcsec^2 | REAL   | 4 | -999 | Residual background sky level at the r filter stack detection.   |
| rskyErr            | Janskys<br>/arcsec^2 | REAL   | 4 | -999 | Error in residual background sky level at the r filter stack detection.  |
| rzp                | magnitudes           | REAL   | 4 | 0    | Photometric zeropoint for the r filter stack. Necessary for converting listed fluxes and magnitudes back to measured ADU counts.                                     |
| rPlateScale        | arcsec<br>/pixel     | REAL   | 4 | 0    | Local plate scale for the r filter stack.  |
| iippDetectID       | dimensionl<br>ess    | BIGINT | 8 | NA   | IPP internal detection identifier.   |
| istackDetec<br>tID | dimensionl<br>ess    | BIGINT | 8 | NA   | Unique stack detection identifier.   |
| istacklmag<br>eID  | dimensionl<br>ess    | BIGINT | 8 | NA   | Unique stack identifier for i filter detection.  |
| ixPos              | sky pixels           | REAL   | 4 | -999 | PSF x center location from i filter stack detection.   |
| iyPos              | sky pixels           | REAL   | 4 | -999 | PSF y center location from i filter stack detection.   |
| ixPosErr           | sky pixels           | REAL   | 4 | -999 | Error in PSF x center location from i filter stack detection.  |
| iyPosErr           | sky pixels           | REAL   | 4 | -999 | Error in PSF y center location from i filter stack detection.  |
| ipsfMajorF<br>WHM  | arcsec               | REAL   | 4 | -999 | PSF major axis FWHM from i filter stack detection.   |
| ipsfMinorF<br>WHM  | arcsec               | REAL   | 4 | -999 | PSF minor axis FWHM from i filter stack detection.   |
| ipsfTheta          | degrees              | REAL   | 4 | -999 | PSF major axis orientation from i filter stack detection.  |
| ipsfCore           | dimensionl<br>ess    | REAL   | 4 | -999 | PSF core parameter k from i filter stack detection, where $F = F0 / (1 + k r^2 + r^3.33)$ .  |
| ipsfLikeliho<br>od | dimensionl<br>ess    | REAL   | 4 | -999 | Likelihood that this i filter stack detection is best fit by a PSF.  |
| ipsfQf             | dimensionI<br>ess    | REAL   | 4 | -999 | PSF coverage factor for i filter stack detection.  |
| ipsfQfPerfe<br>ct  | dimensionl<br>ess    | REAL   | 4 | -999 | PSF-weighted fraction of pixels totally unmasked for i filter stack detection.   |
| ipsfChiSq          | dimensionI<br>ess    | REAL   | 4 | -999 | Reduced chi squared value of the PSF model fit for i filter stack detection.   |
| imomentXX          | arcsec^2             | REAL   | 4 | -999 | Second moment M_xx for i filter stack detection.   |
| imomentXY          | arcsec^2             | REAL   | 4 | -999 | Second moment M_xy for i filter stack detection.   |
| imomentYY          | arcsec^2             | REAL   | 4 | -999 | Second moment M_yy for i filter stack detection.   |
| imomentR1          | arcsec               | REAL   | 4 | -999 | First radial moment for i filter stack detection.  |
| imomentRH          | arcsec^0.5           | REAL   | 4 | -999 | Half radial moment (r^0.5 weighting) for i filter stack detection.   |
| iPSFFlux           | Janskys              | REAL   | 4 | -999 | PSF flux from i filter stack detection.  |
| iPSFFluxErr        | Janskys              | REAL   | 4 | -999 | Error in PSF flux from i filter stack detection.   |
| iApFlux            | Janskys              | REAL   | 4 | -999 | Aperture flux from i filter stack detection.   |
| iApFluxErr         | Janskys              | REAL   | 4 | -999 | Error in aperture flux from i filter stack detection.  |
| iApFillFac         | dimensionl           | REAL   | 4 | -999 | Aperture fill factor from i filter stack detection.  |
|                    | ess                  |        |   |      |  |

| iApRadius          | arcsec               | REAL   | 4 | -999 | Aperture radius for i filter stack detection.  |
|--------------------|----------------------|--------|---|------|--|
| iKronFlux          | Janskys              | REAL   | 4 | -999 | Kron (1980) flux from i filter stack detection.  |
| iKronFluxE         | Janskys              | REAL   | 4 | -999 | Error in Kron (1980) flux from i filter stack detection.   |
| iKronRad           | arcsec               | REAL   | 4 | -999 | Kron (1980) radius from i filter stack detection.  |
| iexpTime           | seconds              | REAL   | 4 | -999 | Exposure time of the i filter stack. Necessary for converting listed fluxes and magnitudes back to measured ADU counts.  |
| iExtNSigma         | dimensionI<br>ess    | REAL   | 4 | -999 | An extendedness measure for the i filter stack detection based on the deviation between PSF and Kron (1980) magnitudes, normalized by the PSF magnitude uncertainty. |
| isky               | Janskys<br>/arcsec^2 | REAL   | 4 | -999 | Residual background sky level at the i filter stack detection.   |
| iskyErr            | Janskys<br>/arcsec^2 | REAL   | 4 | -999 | Error in residual background sky level at the i filter stack detection.  |
| izp                | magnitudes           | REAL   | 4 | 0    | Photometric zeropoint for the i filter stack. Necessary for converting listed fluxes and magnitudes back to measured ADU counts.                                     |
| iPlateScale        | arcsec<br>/pixel     | REAL   | 4 | 0    | Local plate scale for the i filter stack.  |
| zippDetectID       | dimensionl<br>ess    | BIGINT | 8 | NA   | IPP internal detection identifier.   |
| zstackDete<br>ctID | dimensionl<br>ess    | BIGINT | 8 | NA   | Unique stack detection identifier.   |
| zstacklmag<br>eID  | dimensionl<br>ess    | BIGINT | 8 | NA   | Unique stack identifier for z filter detection.  |
| zxPos              | sky pixels           | REAL   | 4 | -999 | PSF x center location from z filter stack detection.   |
| zyPos              | sky pixels           | REAL   | 4 | -999 | PSF y center location from z filter stack detection.   |
| zxPosErr           | sky pixels           | REAL   | 4 | -999 | Error in PSF x center location from z filter stack detection.  |
| zyPosErr           | sky pixels           | REAL   | 4 | -999 | Error in PSF y center location from z filter stack detection.  |
| zpsfMajorF<br>WHM  | arcsec               | REAL   | 4 | -999 | PSF major axis FWHM from z filter stack detection.   |
| zpsfMinorF<br>WHM  | arcsec               | REAL   | 4 | -999 | PSF minor axis FWHM from z filter stack detection.   |
| zpsfTheta          | degrees              | REAL   | 4 | -999 | PSF major axis orientation from z filter stack detection.  |
| zpsfCore           | dimensionl<br>ess    | REAL   | 4 | -999 | PSF core parameter k from z filter stack detection, where $F = F0 / (1 + k r^2 + r^3.33)$ .  |
| zpsfLikelih<br>ood | dimensionl<br>ess    | REAL   | 4 | -999 | Likelihood that this z filter stack detection is best fit by a PSF.  |
| zpsfQf             | dimensionl<br>ess    | REAL   | 4 | -999 | PSF coverage factor for z filter stack detection.  |
| zpsfQfPerf<br>ect  | dimensionl<br>ess    | REAL   | 4 | -999 | PSF-weighted fraction of pixels totally unmasked for z filter stack detection.   |
| zpsfChiSq          | dimensionl<br>ess    | REAL   | 4 | -999 | Reduced chi squared value of the PSF model fit for z filter stack detection.   |
| zmomentXX          | arcsec^2             | REAL   | 4 | -999 | Second moment M_xx for z filter stack detection.   |
| zmomentXY          | arcsec^2             | REAL   | 4 | -999 | Second moment M_xy for z filter stack detection.   |
| zmomentYY          | arcsec^2             | REAL   | 4 | -999 | Second moment M_yy for z filter stack detection.   |
| zmomentR1          | arcsec               | REAL   | 4 | -999 | First radial moment for z filter stack detection.  |
| zmomentRH          | arcsec^0.5           | REAL   | 4 | -999 | Half radial moment (r^0.5 weighting) for z filter stack detection.   |
| zPSFFlux           | Janskys              | REAL   | 4 | -999 | PSF flux from z filter stack detection.  |
| zPSFFluxErr        | Janskys              | REAL   | 4 | -999 | Error in PSF flux from z filter stack detection.   |
| zApFlux            | Janskys              | REAL   | 4 | -999 | Aperture flux from z filter stack detection.   |
| zApFluxErr         | Janskys              | REAL   | 4 | -999 | Error in aperture flux from z filter stack detection.  |
| zApFillFac         | dimensionl<br>ess    | REAL   | 4 | -999 | Aperture fill factor from z filter stack detection.  |
| zApRadius          | arcsec               | REAL   | 4 | -999 | Aperture radius for z filter stack detection.  |
| zKronFlux          | Janskys              | REAL   | 4 | -999 | Kron (1980) flux from z filter stack detection.  |

| =-                 |                      |        |   |      |  |
|--------------------|----------------------|--------|---|------|--|
| zKronFluxE<br>rr   | Janskys              | REAL   | 4 | -999 | Error in Kron (1980) flux from z filter stack detection.   |
| zKronRad           | arcsec               | REAL   | 4 | -999 | Kron (1980) radius from z filter stack detection.  |
| zexpTime           | seconds              | REAL   | 4 | -999 | Exposure time of the z filter stack. Necessary for converting listed fluxes and magnitudes back to measured ADU counts.  |
| zExtNSigma         | dimensionl<br>ess    | REAL   | 4 | -999 | An extendedness measure for the z filter stack detection based on the deviation between PSF and Kron (1980) magnitudes, normalized by the PSF magnitude uncertainty. |
| zsky               | Janskys<br>/arcsec^2 | REAL   | 4 | -999 | Residual background sky level at the z filter stack detection.   |
| zskyErr            | Janskys<br>/arcsec^2 | REAL   | 4 | -999 | Error in residual background sky level at the z filter stack detection.  |
| zzp                | magnitudes           | REAL   | 4 | 0    | Photometric zeropoint for the z filter stack. Necessary for converting listed fluxes and magnitudes back to measured ADU counts.                                     |
| zPlateScale        | arcsec<br>/pixel     | REAL   | 4 | 0    | Local plate scale for the z filter stack.  |
| yippDetectID       | dimensionl<br>ess    | BIGINT | 8 | NA   | IPP internal detection identifier.   |
| ystackDete<br>ctID | dimensionl<br>ess    | BIGINT | 8 | NA   | Unique stack detection identifier.   |
| ystacklmag<br>eID  | dimensionl<br>ess    | BIGINT | 8 | NA   | Unique stack identifier for y filter detection.  |
| yxPos              | sky pixels           | REAL   | 4 | -999 | PSF x center location from y filter stack detection.   |
| yyPos              | sky pixels           | REAL   | 4 | -999 | PSF y center location from y filter stack detection.   |
| yxPosErr           | sky pixels           | REAL   | 4 | -999 | Error in PSF x center location from y filter stack detection.  |
| yyPosErr           | sky pixels           | REAL   | 4 | -999 | Error in PSF y center location from y filter stack detection.  |
| ypsfMajorF<br>WHM  | arcsec               | REAL   | 4 | -999 | PSF major axis FWHM from y filter stack detection.   |
| ypsfMinorF<br>WHM  | arcsec               | REAL   | 4 | -999 | PSF minor axis FWHM from y filter stack detection.   |
| ypsfTheta          | degrees              | REAL   | 4 | -999 | PSF major axis orientation from y filter stack detection.  |
| ypsfCore           | dimensionl<br>ess    | REAL   | 4 | -999 | PSF core parameter k from y filter stack detection, where $F = F0 / (1 + k r^2 + r^3.33)$ .  |
| ypsfLikelih<br>ood | dimensionl<br>ess    | REAL   | 4 | -999 | Likelihood that this y filter stack detection is best fit by a PSF.  |
| ypsfQf             | dimensionl<br>ess    | REAL   | 4 | -999 | PSF coverage factor for y filter stack detection.  |
| ypsfQfPerf<br>ect  | dimensionl<br>ess    | REAL   | 4 | -999 | PSF-weighted fraction of pixels totally unmasked for y filter stack detection.   |
| ypsfChiSq          | dimensionl<br>ess    | REAL   | 4 | -999 | Reduced chi squared value of the PSF model fit for y filter stack detection.   |
| ymomentXX          | arcsec^2             | REAL   | 4 | -999 | Second moment M_xx for y filter stack detection.   |
| ymomentXY          | arcsec^2             | REAL   | 4 | -999 | Second moment M_xy for y filter stack detection.   |
| ymomentYY          | arcsec^2             | REAL   | 4 | -999 | Second moment M_yy for y filter stack detection.   |
| ymomentR1          | arcsec               | REAL   | 4 | -999 | First radial moment for y filter stack detection.  |
| ymomentRH          | arcsec^0.5           | REAL   | 4 | -999 | Half radial moment (r^0.5 weighting) for y filter stack detection.   |
| yPSFFlux           | Janskys              | REAL   | 4 | -999 | PSF flux from y filter stack detection.  |
| yPSFFluxE<br>rr    | Janskys              | REAL   | 4 | -999 | Error in PSF flux from y filter stack detection.   |
| yApFlux            | Janskys              | REAL   | 4 | -999 | Aperture flux from y filter stack detection.   |
| yApFluxErr         | Janskys              | REAL   | 4 | -999 | Error in aperture flux from y filter stack detection.  |
| yApFillFac         | dimensionI<br>ess    | REAL   | 4 | -999 | Aperture fill factor from y filter stack detection.  |
| yApRadius          | arcsec               | REAL   | 4 | -999 | Aperture radius for y filter stack detection.  |
| yKronFlux          | Janskys              | REAL   | 4 | -999 | Kron (1980) flux from y filter stack detection.  |
| yKronFlux          | Janskys              | REAL   | 4 | -999 | Error in Kron (1980) flux from y filter stack detection.   |
| Err                | -                    |        |   |      |  |

| yKronRad    | arcsec               | REAL | 4 | -999 | Kron (1980) radius from y filter stack detection.  |
|-------------|----------------------|------|---|------|--|
| yexpTime    | seconds              | REAL | 4 | -999 | Exposure time of the y filter stack. Necessary for converting listed fluxes and magnitudes back to measured ADU counts.  |
| yExtNSigma  | dimensionl<br>ess    | REAL | 4 | -999 | An extendedness measure for the y filter stack detection based on the deviation between PSF and Kron (1980) magnitudes, normalized by the PSF magnitude uncertainty. |
| ysky        | Janskys<br>/arcsec^2 | REAL | 4 | -999 | Residual background sky level at the y filter stack detection.   |
| yskyErr     | Janskys<br>/arcsec^2 | REAL | 4 | -999 | Error in residual background sky level at the y filter stack detection.  |
| yzp         | magnitudes           | REAL | 4 | 0    | Photometric zeropoint for the y filter stack. Necessary for converting listed fluxes and magnitudes back to measured ADU counts.                                     |
| yPlateScale | arcsec<br>/pixel     | REAL | 4 | 0    | Local plate scale for the y filter stack.  |