PS1 AstrometryCorrection table fields

The starting point for the PS1 data archive is at Pan-STARRS1 data archive home page.

Description: Contains metadata for objects that have had their astrometry corrected using Gaia EDR3. This table contains the original values from the ObjectThin table that have been updated, the replacement values that are in ObjectThin (highlighted in the comments), as well as additional information on the new astrometry. See PS1 Astrometry Correction Using Gaia EDR3 for details.

Most users will simply use the updated values in ObjectThin; the values in this table may be useful for ongoing research projects that rely on details of the original PS1 DR2 positions.

Name	Unit	Data Type	Size	Default Value	Description
objlD	dimens ionless	BIGINT	8	NA	Unique object identifier used to join to ObjectThin.
mdra	degrees	FLOAT	8	NA	Initial Right ascension position (J2000) determined from weighted mean of Detection positions (before Gaia correction).
mddec	degrees	FLOAT	8	NA	Initial Declination position (J2000) determined from weighted mean of Detection positions (before Gaia correction).
mdmjd	days	FLOAT	8	NA	astrometry corrected replacement for epochMean in ObjectThin: Modified Julian Date (MJD) of the mean epoch corresponding to positions and proper motions. This is the average of mdmjdra and mdmjddec.
mdmjdra	days	FLOAT	8	NA	Weighted mean MJD for measurements that contributed to mdra.
mdmjdd ec	days	FLOAT	8	NA	Weighted mean MJD for measurements that contributed to mddec.
nmd	dimens ionless	INT	4	NA	Number of detection measurements used.
mdraErr	milliarc seconds	FLOAT	8	NA	astrometry corrected replacement for raMeanErr in ObjectThin: Standard deviation in RA from weighted single epoch errors. Value is converted to arcsec in ObjectThin.
mddecE rr	milliarc seconds	FLOAT	8	NA	astrometry corrected replacement for raMeanErr in ObjectThin: Standard deviation in Dec from weighted single epoch errors. Value is converted to arcsec in ObjectThin.
mdpmra	milliarc second s per year	FLOAT	8	NA	Proper motion in RA determined from weighted mean of Detection positions (before Gaia correction).
mdpmd ec	milliarc second s per year	FLOAT	8	NA	Proper motion in Dec determined from weighted mean of Detection positions (before Gaia correction).
mdpmra Err	milliarc second s per year	FLOAT	8	NA	new column pmraErr in ObjectThin: Standard deviation in pmra from weighted single epoch errors.
mdpmd ecErr	milliarc second s per year	FLOAT	8	NA	new column pmdecErr in ObjectThin: Standard deviation in pmdec from weighted single epoch errors.
chisqra	dimens ionless	FLOAT	8	NA	astrometry corrected replacement for posMeanChisq in ObjectThin = (chisqra+chisqdec)/2: Reduced chisquare in RA PM fit
chisqdec	dimens ionless	FLOAT	8	NA	astrometry corrected replacement for posMeanChisq in ObjectThin = (chisqra+chisqdec)/2: Reduced chisquare in Dec PM fit
dcr	dimens ionless	BIT	1	NA	Differential chromatic refraction correction applied: 1=yes, 0=no
ra	degrees	FLOAT	8	NA	astrometry corrected replacement for raMean in ObjectThin: RA from single epoch detections (weighted mean) in equinox J2000 at the mean epoch given by epochMean after correction using Gaia EDR3 using the algorithm described in the paper.
dec	degrees	FLOAT	8	NA	astrometry corrected replacement for decMean in ObjectThin: Dec from single epoch detections (weighted mean) in equinox J2000 at the mean epoch given by epochMean after correction using Gaia EDR3 using the algorithm described in the paper.
pmra	milliarc second s per year	FLOAT	8	NA	new column pmra in ObjectThin: Proper motion in RA from single epoch detections after correction using Gaia EDR3 using the algorithm described in the paper.

pmdec	milliarc second s per year	FLOAT	8	NA	new column pmdec in ObjectThin: Proper motion in Dec from single epoch detections after correction using Gaia EDR3 using the algorithm described in the paper.
сх	dimens ionless	FLOAT	8	NA	astrometry corrected replacement for cx in ObjectThin: Cartesian x on a unit sphere.
су	dimens ionless	FLOAT	8	NA	astrometry corrected replacement for cy in ObjectThin: Cartesian y on a unit sphere.
cz	dimens ionless	FLOAT	8	NA	astrometry corrected replacement for cz in ObjectThin: Cartesian z on a unit sphere.
htmid	dimens ionless	BIGINT	8	NA	astrometry corrected replacement for htmlD in ObjectThin: Hierarchical triangular mesh (Szalay 2007) index.

Values for columns below are the original values from ObjectThin, copied before the astrometry update was applied.

NOTE: When querying this table, if these original column values are all NULL it indicates that the object (objid) does not exist in ObjectThin. That applies mainly to objects south of declination -30 degrees.

raMean degrees FLOAT 8 -999 Right ascension from single epoch detections (weighted mean) in equinox J2000 at the mean epoch given by epochMean. decMean degrees FLOAT 8 -999 Declination from single epoch detections (weighted mean) in equinox J2000 at the mean epoch given by epochMean. raMean arcsec REAL 4 -999 Right ascension standard deviation from single epoch detections. decMean Err arcsec REAL 4 -999 Declination standard deviation from single epoch detections. decMean Err REAL 4 -999 Declination standard deviation from single epoch detections. decMean Err REAL 4 -999 Declination standard deviation from single epoch detections. decMean Err REAL 4 -999 Declination standard deviation from single epoch detections. deam FLOAT 8 -999 Modified Julian Date of the mean epoch corresponding to raMean, decMean (equinox J2000). Note that Gaia DR1 data is sometimes included in the mean position (see the FAQ for details); in those cases, the epochMean value is near the Gaia DR1 data is sometimes included any Gaia position or epoch information in the calculations except to calibrate local disortions in the PS1 coordinate system.						
epochMean. raMean arcsec REAL 4 -999 Right ascension standard deviation from single epoch detections. ramean arcsec REAL 4 -999 Declination standard deviation from single epoch detections. repochM days ean BLOAT 8 -999 Modified Julian Date of the mean epoch corresponding to raMean, decMean (equinox J2000). Note that Gaia DR1 data is sometimes included in the mean position (see the FAQ for details); in those cases, the epochMean value is near the Gaia DR1 epoch 2015.5 = MJD 15023. As a result, epochMean is not necessarily near the mean value of the PS1 measurement dates. That is no longer true of the new astrometry-corrected value of epochMean - the new positions do not include any Gaia position or epoch information in the calculations except to calibrate local disortions in the PS1 coordinate system. posMea nChisq dimens ionless cxOrig dimens FLOAT 8 NA Cartesian x on a unit sphere. cyOrig dimens FLOAT 8 NA Cartesian z on a unit sphere. czOrig dimens bIGINT 8 NA Hierarchical triangular mesh (Szalay 2007) index.	raMean	degrees	FLOAT	8	-999	
Err decMea nErr arcsec REAL 4 -999 Declination standard deviation from single epoch detections. epochM ean days FLOAT 8 -999 Modified Julian Date of the mean epoch corresponding to raMean, decMean (equinox J2000). Note that Gaia DR1 data is sometimes included in the mean position (see the FAQ for details); in those cases, the epochMean value is near the Gaia DR1 epoch 2015.5 = MJD 15023. As a result, epochMean is not necessarily near the mean value of the PS1 measurement dates. That is no longer true of the new astrometry-corrected value of epochMean – the new positions do not include any Gaia position or epoch information in the calculations except to calibrate local disortions in the PS1 coordinate system. posMea nChisq dimens ionless REAL 4 -999 Reduced chi squared value of mean position. cxOrig dimens ionless FLOAT 8 NA Cartesian x on a unit sphere. cyOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. czOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. htmlDOr dimens ionless BIGINT 8 NA Hierarchical triangular mesh (Szalay 2007) index.	decMean	degrees	FLOAT	8	-999	
poster dimens ionless cyOrig dimens ionless FLOAT 8 NA Cartesian y on a unit sphere. cyOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. cyOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. cyOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. cyOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. cyOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. cyOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. cyOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. cyOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. cyOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. cyOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. cyOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere.		arcsec	REAL	4	-999	Right ascension standard deviation from single epoch detections.
data is sometimes included in the mean position (see the FAQ for details); in those cases, the epochMean value is near the Gaia DR1 epoch 2015.5 = MJD 15023. As a result, epochMean is not necessarily near the mean value of the PS1 measurement dates. That is no longer true of the new astrometry-corrected value of epochMean – the new positions do not include any Gaia position or epoch information in the calculations except to calibrate local disortions in the PS1 coordinate system. posMea dimens ionless REAL 4 -999 Reduced chi squared value of mean position. cxOrig dimens ionless FLOAT 8 NA Cartesian x on a unit sphere. cyOrig dimens ionless FLOAT 8 NA Cartesian y on a unit sphere. czOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. htmlDOr dimens BIGINT 8 NA Hierarchical triangular mesh (Szalay 2007) index.		arcsec	REAL	4	-999	Declination standard deviation from single epoch detections.
nChisq ionless cxOrig dimens ionless FLOAT 8 NA Cartesian x on a unit sphere. cyOrig dimens ionless FLOAT 8 NA Cartesian y on a unit sphere. czOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. htmlDOr dimens BIGINT 8 NA Hierarchical triangular mesh (Szalay 2007) index.	•	days	FLOAT	8	-999	data is sometimes included in the mean position (see the FAQ for details); in those cases, the epochMean value is near the Gaia DR1 epoch 2015.5 = MJD 15023. As a result, epochMean is not necessarily near the mean value of the PS1 measurement dates. That is no longer true of the new astrometry-corrected value of epochMean – the new positions do not include any Gaia position or epoch information in the calculations except to calibrate local
ionless cyOrig dimens ionless CZOrig dimens ionless FLOAT 8 NA Cartesian y on a unit sphere. CZOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. htmlDOr dimens BIGINT 8 NA Hierarchical triangular mesh (Szalay 2007) index.	•		REAL	4	-999	Reduced chi squared value of mean position.
ionless czOrig dimens ionless FLOAT 8 NA Cartesian z on a unit sphere. htmlDOr dimens BIGINT 8 NA Hierarchical triangular mesh (Szalay 2007) index.	cxOrig		FLOAT	8	NA	Cartesian x on a unit sphere.
ionless htmlDor dimens BIGINT 8 NA Hierarchical triangular mesh (Szalay 2007) index.	cyOrig		FLOAT	8	NA	Cartesian y on a unit sphere.
	czOrig		FLOAT	8	NA	Cartesian z on a unit sphere.
	htmlDOr ig		BIGINT	8	NA	Hierarchical triangular mesh (Szalay 2007) index.