# **MAST Primer for JWST**

Key elements of MAST interfaces are summarized here, and include Portal tutorials for users new to MAST. On this page... · Getting Started with MAST • Login Exclusive Access Data MAST Interfaces Web Applications API Portal Tutorials Searches with the Portal Target Name or Coordinates Program ID JWŠT Instrument Keywords Data Retrieval Options Direct Download Download Basket Streaming Download Download via cURL Script Batch Download API Tutorial What's in the Box File Names and Content • For Further Reading... Reference Documents • User Support

# Getting Started with MAST

### Login

Certain operations require that you log into MAST. This includes access to most data from active JWST observing programs. See MAST Accounts for details.

If you have a MyST account and login to MAST you may subscribe to notifications about JWST program data availability, even for observations that have not yet executed.

# **Exclusive Access Data**

All data from JWST will eventually become public, and anyone may conduct searches for JWST data. However, when data fall under an *exclusive access period* (EAP) the files may only be retrieved by authorized persons. To retrieve EAP data from MAST:

- You must have a MyST account. See this URL to create one: https://proper.stsci.edu/proper/authentication/auth
- Login to MAST at any point prior to retrieving data. See MAST Accounts for details.
- Those with MyST accounts must be authorized by the PI of the program to retrieve EAP data.

 Pls of observing programs may grant access to Co-ls (or anyone with a MyST account) by visiting MyST and selecting <u>Registered</u> <u>UsersUpdateManage Access to Exclusive Access Science Data</u>.

## **MAST** Interfaces

### Web Applications

MAST offers a multiple web-based tools to search for and retrieve science and engineering data, or for other information. Links to these tools appear in the table below.

Search Type	Select a collection	URL
Observations of a target or field	MAST Observations by Object Name or RA/Dec	https://mast.stsci.edu/portal/Mashup/Clients/Mast/Portal. html
Observations Matching a Program ID	Observations by Program ID	

Files matching Instrument Keyword Values	JWST Instrument Keywords	
Wavefront Sensing products	JWST WSS	
DOI Portal		https://mast.stsci.edu/portal/Mashup/Clients/DOI/DOIPortal. html
Calibrated Engineering Data		https://mast.stsci.edu/portal/Mashup/Clients/jwstedb /jwstedb.html
Keyword Dictionary		https://mast.stsci.edu/portal/Mashup/Clients/jwkeywords /index.html

#### A Browser Issues

Note that the MAST Portal has incompatibilities with certain browsers and settings. In particular, pop-up blockers must grant an exception for the mast.stsci.edu domain. For details see Introduction to the MAST Portal in the Portal Guide.

### API

Many users find scripted access to MAST searches and data retrievals to suit their needs better. The most popular interface offered is the Python package astroquery.mast. A brief tutorial is appears near the end of this article, and more extensive documentation is offered in the JWST Archive Manual in the Using MAST APIs chapter.

# **Portal Tutorials**

The MAST Portal search panel is shown below. It is a starting point for your interactions with MAST.

Select a collection	and enter target:		Shaw
MAST Observations by Object Name or RA/Dec	m57 r=1m	Search 📩	Login
About Collections	Show Examples Random Search Advanced Search		Account Info
Upload Target List	sket: 0 files 🔐 👔 Portal User Guide   Lea	ve Feedback   About This Site	Subscriptions 👃

All of the searches described below	Coloct a collection	
start with selecting the appropriate colle	Select a collection	_
ction for a search, from the drop-down	MAST Observations by Object Name or RA/Dec	~
menu shown at right.	MAST Observations by Object Name or RA/Dec	
	MAST Observations by Observation ID	
	MAST Observations by Proposal ID	
	All Virtual Observatory Collections	
	Hubble Source Catalog (HSCv3)	
	Hubble Source Catalog (HSCv2)	
	Hubble Source Catalog Spectra	
	Hubble Spectroscopic Legacy Archive	
	MAST Catalogs	
	WFC3 PSF	
	WFPC2 PSF	
	Observations in a DOI	
	JWST Instrument Keywords	
	JWST WSS	

Search results are displayed below the search panel, as shown in the example below.

Home Page 🗌 🔏 MAST: m57 r=1	m 🗵									-	AstroView
Displaying 169 of 663 Total Rows	MESSIER 057,	radius: (	0.01667	•	œ	X			5 🎬	Footprints: All	18:53:30.790 +33:02:27.77 18:53:35.014 +33:01:42.85 https://dec
Filters	«		ist Vie	w	🚚 All	bum Vi	iew				the state and the set
Clear Filters Edit Filters Help		Edit	Column	s T	Table D	isplay:	All	*		Show Preview: 🔲 Show Cutout: 🔲	
Keyword/Text Filter				Actio		_		Instrument	Filters	Observation ID	
Filter All Columns	× P		3		EDB	ò	••	NIRSPEC	F100LP	jw01539-c1016_s00004_nirspec_f1	
			4	1	EDB	~~ ·	••	NIRSPEC	F100LP	jw01539-o003_s00004_nirspec_f10	A.
Name	Quantity =		5	Ø	Ô	•	••	MIRI	F1000W	jw01558-o001_t001_miri_f1000w	
JWST	(169 of 279)		6		â	ED8 •	••	MIRI	F1130W	jw01558-o001_t001_miri_f1130w	
SPITZER_SHA	(0 of 110) (0 of 100)		7		A	•	••	MIRI	F1280W	jw01558-o001_t001_miri_f1280w	
HLA	(0 of 96)		8		8	•	••	MIRI	F1500W	jw01558-o001_t001_miri_f1500w	
IUE	(0 of 33)		9		4		••	MIRI	E1800W/	jw01558-o001_t001_miri_f1800w	
Show 5 More					-				110000	JW01550 0001_0001_1111_11000W	$\cdot \cdot \cdot \cdot \cdot $
- Instrument			10	Z	Ô	ED8 •	••	MIRI	F2100W	jw01558-0001_t001_miri_f2100w	$\sim$
Calibration Level			11		Ô	•	••	MIRI	F2550W	jw01558-o001_t001_miri_f2550w	
Name	Quantity  (49 of 299)		12		â	ED8 •	••	MIRI	F560W	jw01558-o001_t001_miri_f560w	e de la caracter de la
2	(48 of 179)		13		â	•	•••	MIRI	F770W	jw01558-o001_t001_miri_f770w	
-1	(72 of 178) (0 of 7)		14	@P	••••			MIRI/IMAGE	F560W,	jw01558001001_xx101_00001_miri	

Results consist of Filter dialogs (*left*); a table of matched results (*center*) showing rows for public (*white background*), Exclusive Access (*yellow background*, with the padlock icon), and planned but not yet executed observations (*orange background*); and the AstroView tool (*right*) which shows the spatial extent (*colored footprints*) of the exposures superimposed on an image of the sky. For details see Field Guide to the Portal.

## Searches with the Portal

Many types of Portal search return **Observations**, which are really collections of all available data products, including uncalibrated, intermediate, fully calibrated, and combined science data. See Linkages in the Portal to learn more about how various kinds of data products are associated in the Portal. See Download Basket to learn how to select and download one or more of these types of products.

### **Target Name or Coordinates**

A basic search will return Observations from all hosted MAST missions. This search will provide access to all levels of JWST data products.

	Instruction	Notes
1	Select ' <u>MAST Observations by Object Name or RA/Dec</u> ' from the ' <b>Select a collection</b> ' pull-down menu at the left of the search panel.	
2	Enter a target name and (optionally) a search radius, which will be resolved to coordinates. See Basic Search for syntax rules. m57 r=1m	and enter target: m57 r=1m Show Examples Random Search Advanced Search
3	Click the <b>Search</b> button to the right of the target dialog.	Search 📩

ŀ	<b>Optional:</b> Filter the results in the left panel by selecting Mission: $\mathcal{JWST}$ and the	Filters	
	Instrument(s)/configuration(s). For example: MIRI/IFU and <u>NIRSPEC/IFU</u>	Clear Filters Edit Filters	Help
		Mission	
		Name	Quantity =
		▼ JWST	(124 of 143)
		SPITZER_SHA	(0 of 128)
		I HST	(0 of 120)
		HLA	(0 of 96)
		IUE	(0 of 33)
		Show 6 More	
		Instrument	
		Name =	Quantity
		FUV	(0 of 1)
		GPC1	(0 of 5)
		IRAC	(0 of 12)
		IRS .	(0 of 116)
		LWP	(0 of 7)
		LWR	(0 of 7)
		MIRI/IFU	(20 of 20)
		MIRI/IMAGE	(0 of 15)
		NIRCAM/IMAGE	(0 of 4)
		VIRSPEC/IFU	(104 of 104)
1		Distornator	(0 of 35)

An advanced search allows you to customize the query by additional attributes, and can return Observations for all hosted MAST missions. This search will provide access for access to all levels of JWST data products (unless you choose to restrict the calibration level).

	Instruction	Notes
1	Select <u>MAST Observations by Object Name or RA/Dec</u> from the 'Select a collection' pull-down menu on the upper-left.	
2	To search using more criteria than target name or position, click the <u>Advanced</u> <u>Search</u> link below the target dialog.	and enter target: Enter object name or RA and Dec to cone search Show Examples Random Search Advanced Search

}	Search by multiple criteria with filter dialogs. In this case:	Mission
	<ul> <li>Mission: JWST will greatly accelerate the query</li> <li>Instrument: MIRI* (i.e., all configurations of MIRI). Note typing the name of the instrument in the dialog box will accelerate the selection.</li> <li>Target Name: NGC6720*. Including the asterisk (wildcard) at the end will select the target name and variants, which may include offset positions.</li> </ul>	Wist         JWST       Quantity         Name       Quantity         HLSP       (55,781,470 Total)         SPITZER_SHA       (3,073,080 Total)         HST       (1,241,581 Total)         FESS       (1,119,231 Total)         PS1       (998,018 Total)         K2       (764,782 Total)         Show Fewer       MIRI         MIRI/IFU       MIRI/IMAGE         P       MIRI/CORON         K MIRI/SLIT       I         I MIRI/SLIT       I         MIRI       MIRI         MIRI       MIRI         MIRI       MIRI         MIRI   MIRICAM       MIRI         MIRI   NIRCAM       MIRI         Show z226 More       MIRI
		Target Name         Image: NGC 6720*         This column must be searched via the text box at the top of this panel
	Click the search button at upper-left.	Search
	The search results grid will look similar to the example. Select one or more Observations by ticking the box(es) at the left of the results table, then choose a do wnload method.	

# Program ID

This type of search will return all Observations for a given observing program (a.k.a. proposal number). This is a quick way for Investigator Teams to search for all data related to their science program.

This search will match program IDs for both JWST and HST, even though the results for one mission are not scientifically related to the other. It is easy to filter the results table for the mission of interest.

	Instruction	Notes
1	Select <u>MAST Observations by Proposal ID</u> from the 'Select a collection' pull-down menu on the upper-left.	
2	Enter one or more proposal numbers, separated by commas, then click the <b>Search</b> button.	and enter one or more proposal IDs: 1176, 15106 Search &

Filter the results to select the common target ${\tt VV191}.$ (Note the variations in the spelling.)	► Target Name	Quantity
	<ul> <li>WFC3-ERS-FIELD</li> <li>WAVE</li> <li>✓ VV191</li> <li>✓ VV-191</li> <li>✓ VV 191</li> <li>✓ VV 191</li> <li>✓ Show 13 More</li> </ul>	(0 of 16) (0 of 10) (12 of 12) (6 of 6) (4 of 4)
The search results grid will look something like the example. Select one or more Observations by ticking the box(es) at the left of the results table, then choose a download method.		

### **JWST Instrument Keywords**

This type of search for JWST data provides a much larger set of criteria, including important metadata that are not available in standard searches such as:

- the flag for time-series observations (tsovisit)
- exposure type (exp\_type, which could indicate, e.g., coronographic observations)
- observation sequence identifier (observtn)
- program category (category, e.g., COM and ERS where all data are instantly public)

Beware that this type of search matches data for only one selected JWST instrument, and only the highest-level calibrated science FITS files.

# Highest-level products only!

This kind of search will **not** provide access to ancillary files, nor to uncalibrated (e.g., Level-1b) files if higher-level products exist. It will also not match calibrated files that are not in FITS format, such as source catalogs or light curves.

	Instruction	Notes
1	Select <u>JWST Instrument Keywords</u> from the 'Select a collection' pull-down menu on the upper-left, and select the instrument of interest from the pull-down menu below that.	Select a collection JWST Instrument Keywords About Collections Instrument: Niriss FGS Guide Star MIRI Miriss 252 Total Rows Nirspec
2	Click the <u>Advanced Search</u> button.	Advanced Search

3	Open filter dialogs of interest and enter search parameters. In this example we search COM and ERS programs for Single-Object Slitless Spectra taken in Time-series mode.	Name  COM  FRS CAL  GTO  GO  CAL  GTO  GO  COM  Free  NIS_IMAGE  NIS_IMAGE  NIS_LAMP  NIS_SOSS  NIS_TACONFIRM  NIS_TACQ  NIS_TACQ  NIS_WFSS  TSOVISIT  COM	r text here or choose from below Quantity • (45,473 Total) (8,677 Total) (864 Total) (139 Total) (126 Total) r text here or choose from below Quantity (2,380 Total) (200 Total) (200 Total) (200 Total) (210 Total) (50,585 Total) r text here or choose from below Quantity • Quantity •
4	Click the <b>Search</b> button.	Search	
5	<b>Optional:</b> Filter the results table for Level-3 (fully calibrated and combined) data products.	Name 2b 3	Quantity (0 of 58) (10 of 10)
;	The search results grid will look something like the example. Select one or more Observations by ticking the box(es) at the left of the results table, then choose a do wnload method.		

There is a way, using scripted queries, to search by values of instrument keywords and return Observations, that is, complete collections of all data products that match the query criteria. See API Tutorials for details.

# Data Retrieval Options

There are multiple options for downloading data products from MAST. Each option has its strengths, as noted below.

Searches that return Observations to the results table contain links to all available JWST products associated with each Observation. Place one or more results in the Download Basket to view and select exactly which products (e.g., uncalibrated data) to download.

# Direct Download

This is the simplest form of download, and works for individual entries in the results table. The download bundle is streamed to your machine through your browser.

⚠

 $\odot$ 

### MRP files only

This option **does not** download all available products, but rather the most highly calibrated and combined science products. It is similar to downloading from the basket when the *Minimum Recommended Products* option is selected.

Click the <b>file icon</b> in one of the rows in the results table.	
After a moment a pop-up dialog may appear, asking if the file should be saved. Note that the files are zipped for transfer efficiency.	Opening MAST_2018-10-30T1704.zip You have chosen to open:
Whether a dialog appears, and the specific wording in the dialog, depend upon browser settings. The location where the files will be written also depends upon your browser settings.	MAST_2018-10-30T1704.zip which is: ZIP file (7.7 MB) from: https://pwjwdmsauiweb.stsci.edu Would you like to save this file? Cancel Save File
1	the file should be saved. Note that the files are zipped for transfer efficiency. Whether a dialog appears, and the specific wording in the dialog, depend upon browser settings. The location where the files will be written also depends upon your browser

## **Download Basket**

This form of download is intended for retrieving multiple observations at once, and for retrieving all (or only selected) types of products. There are three options: immediate streaming download (which imposes a size limit), and retrieval by curl script or ftp staging (which do not).

### **Streaming Download**

This example applies to results that contain Observations, rather than individual files (as you would have after an Instrument Keyword search).

	Instruction			Notes	
1	Select one or more rows	ne or more rows in the results grid.			
2	Click the <b>basket button</b> just above the grid to add the selected files to your download basket.		<b>*</b>		
3	The Download Manager ( (nearly 7500 in this case)	window may look something like that below.	Note that the numb	er of files associated	with JWST Observations can be ve
	Download Manager			×	
	Download Basket Download History				
	Remove Selected Remove All	Displaying 132 of 7496 Total Files 46.18 MB Selected / 51200 MB M	ax Retrieve References	Download	
	Filters	Files	Details		
	ritters			<i>»</i>	
	Clear Filters	Mission > Observation > File Files	Act Summary		
	Recommended Products	▲ ♥	intentType:	science	
	Minimum (4 of 6)		Mission (obs_collection):	JWST	
	Recommended	V 🔄 jw01558-o001_20220820t205310_image3_006_asn.json	provenance_name:	CALJWST MIRI	
	Products	V 📰 jw01558_20220820t205310_pool.csv	instrument_name: Project (project):	JWST	
	Product Category	V = jw01558-o001_t001_miri_f1000w_cat.ecsv	filters:	F1000W	
	AUXILIARY (0 of 7282)	V 🔄 jw01558-o001_t001_miri_f1000w_i2d.fits	wavelength region:	Infrared	
			target_name:	NGC 6720	
	SCIENCE (98 of 98)	▲	target_classification:		
	PREVIEW (0 of 82)	jw01558-o001_20220820t205310_image2_005_asn.json	Observation ID (obs_id):	jw01558-	
	✓ INFO (34 of 34)	jw01558_20220820t205310_pool.csv	<b>E</b>	o001_t001_miri_f1000w	
		jw01558001001_02105_00001_mirimage_o001_crf.fits	s_ra: s_dec:	283.3961625 33.029175	
	A Extension		_JCC.	5510221/5	

4a	<b>Recommended:</b> use one or more filter dialogs to select <i>types</i> of products to include or exclude.	Recommended Products Minimum (2 of 2)			
	<ul> <li>Note that selecting Minimum Recommended Products will hide lower-level (uncalibrated) products from the file selector tree.</li> <li>Selecting SCIENCE and INFO categories will include all files necessary for re- reprint the selection products or usual machine.</li> </ul>	Image: Minimum     (2 of 2)       Recommended       Products			
	<ul> <li>running the calibration pipeline on your own machine.</li> <li>Not including the AUXILIARY category will have the effect of excluding guide-star files. This may greatly decrease the volume of data (7282 files in this example)</li> <li>Selecting the UNCAL group will include uncalibrated (Level 1-b) files.</li> <li>Your selection for the MRP checkbox will be remembered for subsequent downloads during your Portal session.</li> </ul>	Product Category AUXILIARY (0 of 7282)			
		SCIENCE         (33 of 98)           PREVIEW         (0 of 82)			
		☑ INFO (34 of 34)			
		Group I2D (17 of 17)			
		POOL         (17 of 17)           ASN         (17 of 17)			
		▼ UNCAL (16 of 16)			
4b	Required: Select specific files or sub-directories of files to include.	Displaying <b>132</b> of <b>7496 Total Files</b>			
	<ul> <li>check the boxes of observations and/or files you wish to download.</li> <li>Note: checking the box of a parent observation automatically checks the boxes of all child files in the dataset.</li> <li>optional: click the triangle on the left to review the detailed contents of the sub-directory.</li> </ul>	Files Mission > Observation > File			
		▲			
		<ul> <li>✓ Ξ jw01558-o001_20220820t20531</li> <li>✓ Ξ jw01558_20220820t205310_pool</li> </ul>			
		▼ = jw01558-0001_t001_miri_f1000			
		Image: Weight of the state of the			
		□			
6	<b>Optional:</b> After selecting exposures of interest, click the <b>Retrieve References</b> button to bring up a dialog where you can choose one or more of all the calibration reference files that were used by the CAL pipeline to produce the selected data products.	Retrieve References			
7	Click the <b>Download</b> button.	Download			

8	Select the format for the download package from the pull-down, then click the <b>Download</b> but <b>Optional:</b> Check the "Remove completed files from basket" box. This will purge download basket, which may help avoid confusion the next time you prepare to download files using the basket.	Download Files As	
		File Name*:	MAST_2018-10-31T1809
		Format:	Tar.gz
		Remove complet	ed files from basket:
			Download Help
		path to where yo	ame used should not contain u want to save. Your brows he path when the download

# Download via cURL Script

This type of retrieval is asynchronous and has no limits to the volume of data to download. It is more robust against internet interruptions, and can be resumed if interrupted.

	Instruction	Notes
1	Follow instructions 1–7 for Streaming Download (above).	
2	Select <u>Curl</u> from the file <b>Format</b> pull-down menu.	Download Files As       ×         File       File         File Name*:       MAST_2018-10-31T2028         Format:       Curl         Remove completed files from basket:       ✓         Download       Help         *Note: The filename used should not contain the path to where you want to save. Your browser will prompt you for the path when the download begins.
3	Save the cURL shell script in a directory where you wish the data files to be stored. Whether a dialog appears, and the specific wording in the dialog, depend upon browser settings. The location where the files will be written also depends upon your browser settings.	Opening MAST_2018-10-31T2028.sh         You have chosen to open:         MAST_2018-10-31T2028.sh         which is: SH file (4.0 KB)         from: https://pwjwdmsauiweb.stsci.edu         Would you like to save this file?         Cancel       Save File

4	Bring up a shell and execute the downloaded script.	bash MAST_2018-10-31T2028.sh
	<b>Note:</b> If you are retrieving Exclusive Access Protected data, you will need to either provide your MyST login credentials, or have set an environment variable with your Auth.MAST token, in order for the shell to complete the retrieval successfully.	
	The cURL script is targeted to a <b>bash</b> shell. Specifying <b>bash</b> on the command line allows it to be invoked from any unix shell.	

### MAST Auth Tokens

Authentication for access to EAP data via a cURL or other scripts is managed in MAST via tokens. See MAST API Tokens to learn how to create or update a MAST.auth token.

#### **Batch Download**

Staging files for **ftps** retrieval is currently supported for a few MAST missions (including JWST and HST), but not all. It is highly recommended to instead retrieve large numbers of files via cURL scripts.

	Instruction	Notes	
1	Follow instructions 1–6 for Immediate Download (above).		
2	Click the Batch Retrieval button.	Batch Retrieval	
3	Select <u>staging</u> from the file <b>Delivery Method</b> pull-down menu and (if you are not logged in) provide the email address where you wish the notification to be sent. <b>Note:</b> If you are logged in to MAST, the e-mail address on record will be pre-filled.	Batch Data Retrieval     X       Email:*     shaw@stsci.edu       Delivery     staging       Method:*     Submit	
4	Acknowledge the email pop-up notification, and check your email at the delivery address you specified.	Complete The operation completed successfully. Email has been sent to shaw@stsci.edu. OK	
5	The email notification will give the location of the files that have been staged.		
6	Use a third-party client such as Cyberduck or wget to retrieve the files.		

# **API** Tutorial

The following tutorial introduces the basics of MAST queries with the astroquery.mast package. More extensive documentation is offered in the JWST Archive Manual in the Using MAST APIs chapter.

The set of all available parameters for this type of query is summarized here. Consider a search for JWST/NIRCam observations in observing program 1073, using the F277W filter. Use the .query\_criteria() method.

```
matched_obs = Observations.query_criteria(
    obs_collection = 'JWST'
    , proposal_id = '1073'
    , instrument_name = 'Nircam'
    , filters = 'F277W'
    )
```

 $\odot$ 

#### The result is an **astropy** Table object, with one row per matched observation.

If for a particular query you are not interested in observations from any mission except JWST, specify it with the parameter obs\_collection='JWST'. This will narrow the list of possible matches considerably, and speed up your query.

Having found Observations that match your criteria, the next step is to fetch a table of data products associated with each Observation.

Some observations contain huge numbers of associated or linked files, sometimes in excess of 10,000 products. This is particularly true for NIRSpec MSA, or MIRI and NIRCam slitless spectroscopy, but may also be true for large mosaics of images. Each observation is likely to contain many files in common, such as guide-star files and ancillary products.

It is strongly recommended to retrieve product lists one or a few at a time from each observation to avoid server timeouts, and then to construct a set of unique products from the combined observations to avoid large numbers of duplicated products.

The following retrieves a list of tables of data products for each observation, and returns combined table containing unique data products.

if (matched\_obs > 0):
 t = [Observations.get\_product\_list(obs) for obs in matched\_obs]
 files = unique(vstack(t), keys='productFilename')

If at least one observation matched the search criteria the above call returns a table of unique products, one per row, which could number in the hundreds or thousands. You may wish to filter the results by masking all but a limited number of file suffixes and excluding certain sub-strings.

The selected products may now be downloaded to your local machine. Note that you will need to login with a valid Auth.MAST token to download exclusive access (EAP) data. If the token is needed but not supplied, the you will be prompted to enter one.

You may download all the products in the files table, or select a subset if you prefer. The following will select L-1b products (i.e. the raw, uncalibrated, \* \_uncal.fits) from the data product list for retrieval. Other types of products may instead be selected, either by matching product name sub-strings or selecting named products in the productSubGroupDescription.

```
manifest = Observations.download_products(
    files,
    productSubGroupDescription='UNCAL',
    curl_flag=True
    )
```

Setting the optional curl\_flag parameter to **True** will instead download a **bash** script that contains **cURL** commands to fetch the files at a later time. This approach is highly recommended for large numbers of files. The name of the download script will be something like: mastDownload\_**YYYYM MDDhhmmss**.sh, where the latter part of the name is a numeric timestamp. What remains is to invoke the downloaded script on your machine to retrieve the files.

# What's in the Box

All data products for all selected observations will be bundled together for delivery. When the Zip or tar file is unpacked, data for each observation/visit /exposure will appear in a separate sub-directory.

For each sub-directory, the data bundle includes by default the highest-level data products, *plus all parent data*. For example, if an observation/visit /exposure combination resulted in Level-2 data products, all Level-1 products would automatically be included unless the user explicitly chooses otherwise.

#### The Download Manifest

The zip (or tar) file will include a file called MANIFEST.HTML which lists each file name, a short description, and whether access is restricted. It will also note any files that could not be downloaded and the reason why (e.g., if you do not have permission to retrieve them).

File Names and Content

The semantic content of science files may be inferred from the file suffix, and the filename signature. For example, files ending in \_uncal.fits are Level-1b uncalibrated science products. See the JWST documentation for details: https://jwst-docs.stsci.edu/understanding-data-files/file-naming-conventions-and-data-products.

# For Further Reading...

### **Reference Documents**

- MAST Portal Guide
- JWST Archive Manual
- JWST User Documentation (JDox)
- JWST Pipeline Documentatino (ReadTheDocs)
- astroquery.mast documentation

# User Support

- Archive Help Desk: archive@stsci.edu
- JDox: https://jwst-docs.stsci.edu/