Roman - Pandeia Engine News

- Next Planned Release
- What support is available?
- What is the Pandeia Engine?

The Pandeia engine of the Exposure Time Calculator is released to the community to support users who wish to script their calculations, run more extensive parameter space studies, and have more direct control of their scenes. We also recognize that the community has developed more extensive wrappers and public tools that depend on the Pandeia engine.

This page is intended to facilitate communication with developers in the community with Pandeia engine dependencies.

The latest release of the Pandeia engine is 2.0.

- Get the latest engine software software, installable with pip (http s://pypi.org/project/pandeia.engine/)
- See the installation instructions
- Get the Synphot data files that support certain target spectra
- manipulations (https://archive.stsci.edu/hlsp/reference-atlases) Get the required mission-specific items:
 - get the Roman data: https://stsci.box.com/v/pandeiarefdata-v2p0-roman
 - see release notes (https://stsci.box.com/v/pandeiarelnotes-v2p0-roman)
 - see known issues (https://stsci.box.com/v/pandeiaissues-v2p0-roman)
- View the Input API documentation
- View the Output API documentation

Next Planned Release

The next release of the Pandeia Engine will be after the JWST Cycle 2 deadline.

What support is available?

Questions about the Pandeia engine may be directed to email help@stsci.edu with Roman and/or WFIRST in the subject line or body. However, due to the complexity of the engine, support will be limited and response times may be longer than for other tools.

We welcome comments and feature requests, and these will be considered along with other ETC work.

What is the Pandeia Engine?

The Pandeia engine uses a pixel-based 3-dimensional approach to perform calculations on small (typically a few arcseconds) 2-dimensional usercreated astronomical scenes. It models both the spatial and the wavelength dimensions, using realistic point spread functions for each instrument mode. It natively handles correlated read noise, inter-pixel capacitance, and saturation. Since the signal and noise are modeled for individual detector pixels, the ETC is able to replicate many of the steps that observers will perform when calibrating and reducing their Roman data. This simplifies interpretation of the extracted signal-to-noise ratio (SNR) calculated by the ETC.

While the Pandeia engine includes many effects not typically included in other ETCs, it is not an observation simulator. It does not simulate the full detector, nor does it include 2-dimensional effects such as distortion.

Details on the algorithms used to compute signal and noise on the detector and the strategies used to compute the extracted products can be found in Pontoppidan et al. 2016.