

JWST Master Class 2019 Integral Field Unit Module Space Telescope Science Institute San Martin Drive, Baltimore MD 21218

IFUs Master Class APT/ETC Worksheet (NGC 6240 LIRG/AGN)

NIRSpec Target Acquisition

- 1) What is the Visit Splitting Distance for NGC 6240?
- 2) What TA method is appropriate?
- 3) What is the name of the 2nd closest 2MASS star?:
- 4) How far is this star from the science target?:
- 5) Will this star saturate with FULL readout?
- 6) What readout mode is required for TA not to saturate this star?
- 7) What is the parallax of this star? Hint: https://gea.esac.esa.int/archive/
- 8) How large is the proper motion of this star? Hint: P.M. < 60 x parallax
- 9) Is this star suitable for the type of TA you selected?
- 10) What Acquisition Filter should you select?

- 11) What Acquisition Readout Pattern should you select?
- 12) What values does this yield for the Acq Exposure Time parameters?
- 13) What is the SNR for TA in F140X with these parameters and the above 2MASS star?

NIRSpec Science Parameters

- 1) Which Dither Type(s) is/are appropriate for an extended source?
- 2) What V3PA ranges are allowed by the visit planner?
- 3) For V3PA constrained to 90-130 deg, what number of rows and columns in your Mosaic will align the observation along the vector between the two nuclei of NGC 6240?
- 4) What Grating/Filter should we use for kinematics of the H2 1-0 S(0) 2.1 μ m line?
- 5) What Readout Pattern is recommended for the source flux?
- 6) What Exposure Parameters will give adequate S/N for our science goal?
- 7) Is Leakcal advisable?
- 8) Should any Leakcal exposure be Dithered?
- 9) Is Autocal necessary?

Continue to MIRI Target Acquistion on next page...

MIRI Target Acquisition

- 1) What is the Visit Splitting Distance for NGC 6240?
- 2) Is TA required for the science?
- 3) What is the name of the closest 2MASS star?:
- 4) How far is this star from the science target?
- 5) Would this star saturate with FAST readout? Hint: Check photometry in NED.
- 6) What is the proper motion of this star? Hint: APT fixed target resolver tells you.
- 7) How far has the star moved in Declination since 2015 November?
- 8) What Acquisition Filter should be selected for this star?
- 9) What Acquisition Readout Pattern should you select?
- 10) How many Acquisition Groups/Int did you select?
- 11) What values does this yield for the Acq Exposure Time parameters?

Continue to MIRI MRS Parameters on next page....

MIRI MRS Parameters

- 1) What Primary Channel should be chosen?
- 2) Which Dither Type is best?
- 3) What should the Dither be 'Optimized For':
- 4) Should Simultaneous Imaging be used?
- 5) What channel and Wavelength sub-band does the peak of the 8 micron PAH fall in?
- 6) How many exposures are specified in the Exposure Parameters Window?
- 7) What Readout Pattern is recommended for the source flux?
- 8) What Exposure Parameters will give adequate S/N for our science goal?
- 9) Is there any reason to use different exposure parameters for the MRSLONG and MRSSHORT detectors?
- 10) Is a dedicated background required for the science?
- 11) Where can the background be located to make best use of the simultaneous imaging?