

PS1 StackApFlxExGalUnc table fields

The starting point for the PS1 data archive is at [Pan-STARRS1 data archive home page](#).

Description: Contains the unconvolved fluxes within the SDSS R3 ($r = 1.03$ arcsec), R4 ($r = 1.76$ arcsec), R5 ($r = 3.00$ arcsec), R6 ($r = 4.63$ arcsec), R7 ($r = 7.43$ arcsec), R8 ($r = 11.42$ arcsec), R9 ($r = 18.20$ arcsec), R10 ($r = 28.20$ arcsec), and R11 ($r = 44.21$ arcsec) apertures (Stoughton 2003) for extended sources. These measurements are only provided for objects in the extragalactic sky, i.e., they are not provided for objects in the Galactic plane because they are not useful in crowded areas. See StackObjectThin table for discussion of primary, secondary, and best detections. References: Stoughton, C., Lupton, R. H., Bernardi, M., et al. 2003, AJ, 123, 485.

Name	Unit	Data Type	Size	Default Value	Description
objID	dimensionless	BIGINT	8	NA	Unique object identifier.
uniquePspSTid	dimensionless	BIGINT	8	NA	Unique internal PSPS stack identifier.
ippObjID	dimensionless	BIGINT	8	NA	IPP internal object identifier.
randomStackObjID	dimensionless	FLOAT	8	NA	Random value drawn from the interval between zero and one.
primaryDetection	dimensionless	TINYINT	1	255	Identifies if this row is the primary stack detection.
bestDetection	dimensionless	TINYINT	1	255	Identifies if this row is the best detection.
gippDetectID	dimensionless	BIGINT	8	NA	IPP internal detection identifier.
gstackDetectID	dimensionless	BIGINT	8	NA	Unique stack detection identifier.
gstackImageID	dimensionless	BIGINT	8	NA	Unique stack identifier for g filter detection.
gflxR3	Janskys	REAL	4	-999	Flux from g filter detection within an aperture of radius $r = 1.03$ arcsec.
gflxR3Err	Janskys	REAL	4	-999	Error in flux from g filter detection within an aperture of radius $r = 1.03$ arcsec.
gflxR3Std	Janskys	REAL	4	-999	Standard deviation of flux from g filter detection within an aperture of radius $r = 1.03$ arcsec.
gflxR3Fill	dimensionless	REAL	4	-999	Aperture fill factor for g filter detection within an aperture of radius $r = 1.03$ arcsec.
gflxR4	Janskys	REAL	4	-999	Flux from g filter detection within an aperture of radius $r = 1.76$ arcsec.
gflxR4Err	Janskys	REAL	4	-999	Error in flux from g filter detection within an aperture of radius $r = 1.76$ arcsec.
gflxR4Std	Janskys	REAL	4	-999	Standard deviation of flux from g filter detection within an aperture of radius $r = 1.76$ arcsec.
gflxR4Fill	dimensionless	REAL	4	-999	Aperture fill factor for g filter detection within an aperture of radius $r = 1.76$ arcsec.
gflxR5	Janskys	REAL	4	-999	Flux from g filter detection within an aperture of radius $r = 3.00$ arcsec.
gflxR5Err	Janskys	REAL	4	-999	Error in flux from g filter detection within an aperture of radius $r = 3.00$ arcsec.
gflxR5Std	Janskys	REAL	4	-999	Standard deviation of flux from g filter detection within an aperture of radius $r = 3.00$ arcsec.
gflxR5Fill	dimensionless	REAL	4	-999	Aperture fill factor for g filter detection within an aperture of radius $r = 3.00$ arcsec.
gflxR6	Janskys	REAL	4	-999	Flux from g filter detection within an aperture of radius $r = 4.63$ arcsec.
gflxR6Err	Janskys	REAL	4	-999	Error in flux from g filter detection within an aperture of radius $r = 4.63$ arcsec.
gflxR6Std	Janskys	REAL	4	-999	Standard deviation of flux from g filter detection within an aperture of radius $r = 4.63$ arcsec.
gflxR6Fill	dimensionless	REAL	4	-999	Aperture fill factor for g filter detection within an aperture of radius $r = 4.63$ arcsec.
gflxR7	Janskys	REAL	4	-999	Flux from g filter detection within an aperture of radius $r = 7.43$ arcsec.
gflxR7Err	Janskys	REAL	4	-999	Error in flux from g filter detection within an aperture of radius $r = 7.43$ arcsec.
gflxR7Std	Janskys	REAL	4	-999	Standard deviation of flux from g filter detection within an aperture of radius $r = 7.43$ arcsec.
gflxR7Fill	dimensionless	REAL	4	-999	Aperture fill factor for g filter detection within an aperture of radius $r = 7.43$ arcsec.
gflxR8	Janskys	REAL	4	-999	Flux from g filter detection within an aperture of radius $r = 11.42$ arcsec.
gflxR8Err	Janskys	REAL	4	-999	Error in flux from g filter detection within an aperture of radius $r = 11.42$ arcsec.
gflxR8Std	Janskys	REAL	4	-999	Standard deviation of flux from g filter detection within an aperture of radius $r = 11.42$ arcsec.
gflxR8Fill	dimensionless	REAL	4	-999	Aperture fill factor for g filter detection within an aperture of radius $r = 11.42$ arcsec.

gflxR9	Janskys	REAL	4	-999	Flux from g filter detection within an aperture of radius $r = 18.20$ arcsec.
gflxR9Err	Janskys	REAL	4	-999	Error in flux from g filter detection within an aperture of radius $r = 18.20$ arcsec.
gflxR9Std	Janskys	REAL	4	-999	Standard deviation of flux from g filter detection within an aperture of radius $r = 18.20$ arcsec.
gflxR9Fill	dimensionless	REAL	4	-999	Aperture fill factor for g filter detection within an aperture of radius $r = 18.20$ arcsec.
gflxR10	Janskys	REAL	4	-999	Flux from g filter detection within an aperture of radius $r = 28.20$ arcsec.
gflxR10Err	Janskys	REAL	4	-999	Error in flux from g filter detection within an aperture of radius $r = 28.20$ arcsec.
gflxR10Std	Janskys	REAL	4	-999	Standard deviation of flux from g filter detection within an aperture of radius $r = 28.20$ arcsec.
gflxR10Fill	dimensionless	REAL	4	-999	Aperture fill factor for g filter detection within an aperture of radius $r = 28.20$ arcsec.
gflxR11	Janskys	REAL	4	-999	Flux from g filter detection within an aperture of radius $r = 44.21$ arcsec.
gflxR11Err	Janskys	REAL	4	-999	Error in flux from g filter detection within an aperture of radius $r = 44.21$ arcsec.
gflxR11Std	Janskys	REAL	4	-999	Standard deviation of flux from g filter detection within an aperture of radius $r = 44.21$ arcsec.
gflxR11Fill	dimensionless	REAL	4	-999	Aperture fill factor for g filter detection within an aperture of radius $r = 44.21$ arcsec.
rippDetectID	dimensionless	BIGINT	8	NA	IPP internal detection identifier.
rstackDetectID	dimensionless	BIGINT	8	NA	Unique stack detection identifier.
rstackImageID	dimensionless	BIGINT	8	NA	Unique stack identifier for r filter detection.
rflxR3	Janskys	REAL	4	-999	Flux from r filter detection within an aperture of radius $r = 1.03$ arcsec.
rflxR3Err	Janskys	REAL	4	-999	Error in flux from r filter detection within an aperture of radius $r = 1.03$ arcsec.
rflxR3Std	Janskys	REAL	4	-999	Standard deviation of flux from r filter detection within an aperture of radius $r = 1.03$ arcsec.
rflxR3Fill	dimensionless	REAL	4	-999	Aperture fill factor for r filter detection within an aperture of radius $r = 1.03$ arcsec.
rflxR4	Janskys	REAL	4	-999	Flux from r filter detection within an aperture of radius $r = 1.76$ arcsec.
rflxR4Err	Janskys	REAL	4	-999	Error in flux from r filter detection within an aperture of radius $r = 1.76$ arcsec.
rflxR4Std	Janskys	REAL	4	-999	Standard deviation of flux from r filter detection within an aperture of radius $r = 1.76$ arcsec.
rflxR4Fill	dimensionless	REAL	4	-999	Aperture fill factor for r filter detection within an aperture of radius $r = 1.76$ arcsec.
rflxR5	Janskys	REAL	4	-999	Flux from r filter detection within an aperture of radius $r = 3.00$ arcsec.
rflxR5Err	Janskys	REAL	4	-999	Error in flux from r filter detection within an aperture of radius $r = 3.00$ arcsec.
rflxR5Std	Janskys	REAL	4	-999	Standard deviation of flux from r filter detection within an aperture of radius $r = 3.00$ arcsec.
rflxR5Fill	dimensionless	REAL	4	-999	Aperture fill factor for r filter detection within an aperture of radius $r = 3.00$ arcsec.
rflxR6	Janskys	REAL	4	-999	Flux from r filter detection within an aperture of radius $r = 4.63$ arcsec.
rflxR6Err	Janskys	REAL	4	-999	Error in flux from r filter detection within an aperture of radius $r = 4.63$ arcsec.
rflxR6Std	Janskys	REAL	4	-999	Standard deviation of flux from r filter detection within an aperture of radius $r = 4.63$ arcsec.
rflxR6Fill	dimensionless	REAL	4	-999	Aperture fill factor for r filter detection within an aperture of radius $r = 4.63$ arcsec.
rflxR7	Janskys	REAL	4	-999	Flux from r filter detection within an aperture of radius $r = 7.43$ arcsec.
rflxR7Err	Janskys	REAL	4	-999	Error in flux from r filter detection within an aperture of radius $r = 7.43$ arcsec.
rflxR7Std	Janskys	REAL	4	-999	Standard deviation of flux from r filter detection within an aperture of radius $r = 7.43$ arcsec.
rflxR7Fill	dimensionless	REAL	4	-999	Aperture fill factor for r filter detection within an aperture of radius $r = 7.43$ arcsec.
rflxR8	Janskys	REAL	4	-999	Flux from r filter detection within an aperture of radius $r = 11.42$ arcsec.
rflxR8Err	Janskys	REAL	4	-999	Error in flux from r filter detection within an aperture of radius $r = 11.42$ arcsec.
rflxR8Std	Janskys	REAL	4	-999	Standard deviation of flux from r filter detection within an aperture of radius $r = 11.42$ arcsec.
rflxR8Fill	dimensionless	REAL	4	-999	Aperture fill factor for r filter detection within an aperture of radius $r = 11.42$ arcsec.
rflxR9	Janskys	REAL	4	-999	Flux from r filter detection within an aperture of radius $r = 18.20$ arcsec.
rflxR9Err	Janskys	REAL	4	-999	Error in flux from r filter detection within an aperture of radius $r = 18.20$ arcsec.

rflxR9Std	Janskys	REAL	4	-999	Standard deviation of flux from r filter detection within an aperture of radius $r = 18.20$ arcsec.
rflxR9Fill	dimensionless	REAL	4	-999	Aperture fill factor for r filter detection within an aperture of radius $r = 18.20$ arcsec.
rflxR10	Janskys	REAL	4	-999	Flux from r filter detection within an aperture of radius $r = 28.20$ arcsec.
rflxR10Err	Janskys	REAL	4	-999	Error in flux from r filter detection within an aperture of radius $r = 28.20$ arcsec.
rflxR10Std	Janskys	REAL	4	-999	Standard deviation of flux from r filter detection within an aperture of radius $r = 28.20$ arcsec.
rflxR10Fill	dimensionless	REAL	4	-999	Aperture fill factor for r filter detection within an aperture of radius $r = 28.20$ arcsec.
rflxR11	Janskys	REAL	4	-999	Flux from r filter detection within an aperture of radius $r = 44.21$ arcsec.
rflxR11Err	Janskys	REAL	4	-999	Error in flux from r filter detection within an aperture of radius $r = 44.21$ arcsec.
rflxR11Std	Janskys	REAL	4	-999	Standard deviation of flux from r filter detection within an aperture of radius $r = 44.21$ arcsec.
rflxR11Fill	dimensionless	REAL	4	-999	Aperture fill factor for r filter detection within an aperture of radius $r = 44.21$ arcsec.
iippDetectID	dimensionless	BIGINT	8	NA	IPP internal detection identifier.
istackDetectID	dimensionless	BIGINT	8	NA	Unique stack detection identifier.
istackImageID	dimensionless	BIGINT	8	NA	Unique stack identifier for i filter detection.
iflxR3	Janskys	REAL	4	-999	Flux from i filter detection within an aperture of radius $r = 1.03$ arcsec.
iflxR3Err	Janskys	REAL	4	-999	Error in flux from i filter detection within an aperture of radius $r = 1.03$ arcsec.
iflxR3Std	Janskys	REAL	4	-999	Standard deviation of flux from i filter detection within an aperture of radius $r = 1.03$ arcsec.
iflxR3Fill	dimensionless	REAL	4	-999	Aperture fill factor for i filter detection within an aperture of radius $r = 1.03$ arcsec.
iflxR4	Janskys	REAL	4	-999	Flux from i filter detection within an aperture of radius $r = 1.76$ arcsec.
iflxR4Err	Janskys	REAL	4	-999	Error in flux from i filter detection within an aperture of radius $r = 1.76$ arcsec.
iflxR4Std	Janskys	REAL	4	-999	Standard deviation of flux from i filter detection within an aperture of radius $r = 1.76$ arcsec.
iflxR4Fill	dimensionless	REAL	4	-999	Aperture fill factor for i filter detection within an aperture of radius $r = 1.76$ arcsec.
iflxR5	Janskys	REAL	4	-999	Flux from i filter detection within an aperture of radius $r = 3.00$ arcsec.
iflxR5Err	Janskys	REAL	4	-999	Error in flux from i filter detection within an aperture of radius $r = 3.00$ arcsec.
iflxR5Std	Janskys	REAL	4	-999	Standard deviation of flux from i filter detection within an aperture of radius $r = 3.00$ arcsec.
iflxR5Fill	dimensionless	REAL	4	-999	Aperture fill factor for i filter detection within an aperture of radius $r = 3.00$ arcsec.
iflxR6	Janskys	REAL	4	-999	Flux from i filter detection within an aperture of radius $r = 4.63$ arcsec.
iflxR6Err	Janskys	REAL	4	-999	Error in flux from i filter detection within an aperture of radius $r = 4.63$ arcsec.
iflxR6Std	Janskys	REAL	4	-999	Standard deviation of flux from i filter detection within an aperture of radius $r = 4.63$ arcsec.
iflxR6Fill	dimensionless	REAL	4	-999	Aperture fill factor for i filter detection within an aperture of radius $r = 4.63$ arcsec.
iflxR7	Janskys	REAL	4	-999	Flux from i filter detection within an aperture of radius $r = 7.43$ arcsec.
iflxR7Err	Janskys	REAL	4	-999	Error in flux from i filter detection within an aperture of radius $r = 7.43$ arcsec.
iflxR7Std	Janskys	REAL	4	-999	Standard deviation of flux from i filter detection within an aperture of radius $r = 7.43$ arcsec.
iflxR7Fill	dimensionless	REAL	4	-999	Aperture fill factor for i filter detection within an aperture of radius $r = 7.43$ arcsec.
iflxR8	Janskys	REAL	4	-999	Flux from i filter detection within an aperture of radius $r = 11.42$ arcsec.
iflxR8Err	Janskys	REAL	4	-999	Error in flux from i filter detection within an aperture of radius $r = 11.42$ arcsec.
iflxR8Std	Janskys	REAL	4	-999	Standard deviation of flux from i filter detection within an aperture of radius $r = 11.42$ arcsec.
iflxR8Fill	dimensionless	REAL	4	-999	Aperture fill factor for i filter detection within an aperture of radius $r = 11.42$ arcsec.
iflxR9	Janskys	REAL	4	-999	Flux from i filter detection within an aperture of radius $r = 18.20$ arcsec.
iflxR9Err	Janskys	REAL	4	-999	Error in flux from i filter detection within an aperture of radius $r = 18.20$ arcsec.
iflxR9Std	Janskys	REAL	4	-999	Standard deviation of flux from i filter detection within an aperture of radius $r = 18.20$ arcsec.
iflxR9Fill	dimensionless	REAL	4	-999	Aperture fill factor for i filter detection within an aperture of radius $r = 18.20$ arcsec.

iflxR10	Janskys	REAL	4	-999	Flux from i filter detection within an aperture of radius $r = 28.20$ arcsec.
iflxR10Err	Janskys	REAL	4	-999	Error in flux from i filter detection within an aperture of radius $r = 28.20$ arcsec.
iflxR10Std	Janskys	REAL	4	-999	Standard deviation of flux from i filter detection within an aperture of radius $r = 28.20$ arcsec.
iflxR10Fill	dimensionless	REAL	4	-999	Aperture fill factor for i filter detection within an aperture of radius $r = 28.20$ arcsec.
iflxR11	Janskys	REAL	4	-999	Flux from i filter detection within an aperture of radius $r = 44.21$ arcsec.
iflxR11Err	Janskys	REAL	4	-999	Error in flux from i filter detection within an aperture of radius $r = 44.21$ arcsec.
iflxR11Std	Janskys	REAL	4	-999	Standard deviation of flux from i filter detection within an aperture of radius $r = 44.21$ arcsec.
iflxR11Fill	dimensionless	REAL	4	-999	Aperture fill factor for i filter detection within an aperture of radius $r = 44.21$ arcsec.
zippDetectID	dimensionless	BIGINT	8	NA	IPP internal detection identifier.
zstackDetectID	dimensionless	BIGINT	8	NA	Unique stack detection identifier.
zstackImageID	dimensionless	BIGINT	8	NA	Unique stack identifier for z filter detection.
zflxR3	Janskys	REAL	4	-999	Flux from z filter detection within an aperture of radius $r = 1.03$ arcsec.
zflxR3Err	Janskys	REAL	4	-999	Error in flux from z filter detection within an aperture of radius $r = 1.03$ arcsec.
zflxR3Std	Janskys	REAL	4	-999	Standard deviation of flux from z filter detection within an aperture of radius $r = 1.03$ arcsec.
zflxR3Fill	dimensionless	REAL	4	-999	Aperture fill factor for z filter detection within an aperture of radius $r = 1.03$ arcsec.
zflxR4	Janskys	REAL	4	-999	Flux from z filter detection within an aperture of radius $r = 1.76$ arcsec.
zflxR4Err	Janskys	REAL	4	-999	Error in flux from z filter detection within an aperture of radius $r = 1.76$ arcsec.
zflxR4Std	Janskys	REAL	4	-999	Standard deviation of flux from z filter detection within an aperture of radius $r = 1.76$ arcsec.
zflxR4Fill	dimensionless	REAL	4	-999	Aperture fill factor for z filter detection within an aperture of radius $r = 1.76$ arcsec.
zflxR5	Janskys	REAL	4	-999	Flux from z filter detection within an aperture of radius $r = 3.00$ arcsec.
zflxR5Err	Janskys	REAL	4	-999	Error in flux from z filter detection within an aperture of radius $r = 3.00$ arcsec.
zflxR5Std	Janskys	REAL	4	-999	Standard deviation of flux from z filter detection within an aperture of radius $r = 3.00$ arcsec.
zflxR5Fill	dimensionless	REAL	4	-999	Aperture fill factor for z filter detection within an aperture of radius $r = 3.00$ arcsec.
zflxR6	Janskys	REAL	4	-999	Flux from z filter detection within an aperture of radius $r = 4.63$ arcsec.
zflxR6Err	Janskys	REAL	4	-999	Error in flux from z filter detection within an aperture of radius $r = 4.63$ arcsec.
zflxR6Std	Janskys	REAL	4	-999	Standard deviation of flux from z filter detection within an aperture of radius $r = 4.63$ arcsec.
zflxR6Fill	dimensionless	REAL	4	-999	Aperture fill factor for z filter detection within an aperture of radius $r = 4.63$ arcsec.
zflxR7	Janskys	REAL	4	-999	Flux from z filter detection within an aperture of radius $r = 7.43$ arcsec.
zflxR7Err	Janskys	REAL	4	-999	Error in flux from z filter detection within an aperture of radius $r = 7.43$ arcsec.
zflxR7Std	Janskys	REAL	4	-999	Standard deviation of flux from z filter detection within an aperture of radius $r = 7.43$ arcsec.
zflxR7Fill	dimensionless	REAL	4	-999	Aperture fill factor for z filter detection within an aperture of radius $r = 7.43$ arcsec.
zflxR8	Janskys	REAL	4	-999	Flux from z filter detection within an aperture of radius $r = 11.42$ arcsec.
zflxR8Err	Janskys	REAL	4	-999	Error in flux from z filter detection within an aperture of radius $r = 11.42$ arcsec.
zflxR8Std	Janskys	REAL	4	-999	Standard deviation of flux from z filter detection within an aperture of radius $r = 11.42$ arcsec.
zflxR8Fill	dimensionless	REAL	4	-999	Aperture fill factor for z filter detection within an aperture of radius $r = 11.42$ arcsec.
zflxR9	Janskys	REAL	4	-999	Flux from z filter detection within an aperture of radius $r = 18.20$ arcsec.
zflxR9Err	Janskys	REAL	4	-999	Error in flux from z filter detection within an aperture of radius $r = 18.20$ arcsec.
zflxR9Std	Janskys	REAL	4	-999	Standard deviation of flux from z filter detection within an aperture of radius $r = 18.20$ arcsec.
zflxR9Fill	dimensionless	REAL	4	-999	Aperture fill factor for z filter detection within an aperture of radius $r = 18.20$ arcsec.
zflxR10	Janskys	REAL	4	-999	Flux from z filter detection within an aperture of radius $r = 28.20$ arcsec.
zflxR10Err	Janskys	REAL	4	-999	Error in flux from z filter detection within an aperture of radius $r = 28.20$ arcsec.

zflxR10Std	Janskys	REAL	4	-999	Standard deviation of flux from z filter detection within an aperture of radius $r = 28.20$ arcsec.
zflxR10Fill	dimensionless	REAL	4	-999	Aperture fill factor for z filter detection within an aperture of radius $r = 28.20$ arcsec.
zflxR11	Janskys	REAL	4	-999	Flux from z filter detection within an aperture of radius $r = 44.21$ arcsec.
zflxR11Err	Janskys	REAL	4	-999	Error in flux from z filter detection within an aperture of radius $r = 44.21$ arcsec.
zflxR11Std	Janskys	REAL	4	-999	Standard deviation of flux from z filter detection within an aperture of radius $r = 44.21$ arcsec.
zflxR11Fill	dimensionless	REAL	4	-999	Aperture fill factor for z filter detection within an aperture of radius $r = 44.21$ arcsec.
yippDetectID	dimensionless	BIGINT	8	NA	IPP internal detection identifier.
ystackDetectID	dimensionless	BIGINT	8	NA	Unique stack detection identifier.
ystackImageID	dimensionless	BIGINT	8	NA	Unique stack identifier for y filter detection.
yflxR3	Janskys	REAL	4	-999	Flux from y filter detection within an aperture of radius $r = 1.03$ arcsec.
yflxR3Err	Janskys	REAL	4	-999	Error in flux from y filter detection within an aperture of radius $r = 1.03$ arcsec.
yflxR3Std	Janskys	REAL	4	-999	Standard deviation of flux from y filter detection within an aperture of radius $r = 1.03$ arcsec.
yflxR3Fill	dimensionless	REAL	4	-999	Aperture fill factor for y filter detection within an aperture of radius $r = 1.03$ arcsec.
yflxR4	Janskys	REAL	4	-999	Flux from y filter detection within an aperture of radius $r = 1.76$ arcsec.
yflxR4Err	Janskys	REAL	4	-999	Error in flux from y filter detection within an aperture of radius $r = 1.76$ arcsec.
yflxR4Std	Janskys	REAL	4	-999	Standard deviation of flux from y filter detection within an aperture of radius $r = 1.76$ arcsec.
yflxR4Fill	dimensionless	REAL	4	-999	Aperture fill factor for y filter detection within an aperture of radius $r = 1.76$ arcsec.
yflxR5	Janskys	REAL	4	-999	Flux from y filter detection within an aperture of radius $r = 3.00$ arcsec.
yflxR5Err	Janskys	REAL	4	-999	Error in flux from y filter detection within an aperture of radius $r = 3.00$ arcsec.
yflxR5Std	Janskys	REAL	4	-999	Standard deviation of flux from y filter detection within an aperture of radius $r = 3.00$ arcsec.
yflxR5Fill	dimensionless	REAL	4	-999	Aperture fill factor for y filter detection within an aperture of radius $r = 3.00$ arcsec.
yflxR6	Janskys	REAL	4	-999	Flux from y filter detection within an aperture of radius $r = 4.63$ arcsec.
yflxR6Err	Janskys	REAL	4	-999	Error in flux from y filter detection within an aperture of radius $r = 4.63$ arcsec.
yflxR6Std	Janskys	REAL	4	-999	Standard deviation of flux from y filter detection within an aperture of radius $r = 4.63$ arcsec.
yflxR6Fill	dimensionless	REAL	4	-999	Aperture fill factor for y filter detection within an aperture of radius $r = 4.63$ arcsec.
yflxR7	Janskys	REAL	4	-999	Flux from y filter detection within an aperture of radius $r = 7.43$ arcsec.
yflxR7Err	Janskys	REAL	4	-999	Error in flux from y filter detection within an aperture of radius $r = 7.43$ arcsec.
yflxR7Std	Janskys	REAL	4	-999	Standard deviation of flux from y filter detection within an aperture of radius $r = 7.43$ arcsec.
yflxR7Fill	dimensionless	REAL	4	-999	Aperture fill factor for y filter detection within an aperture of radius $r = 7.43$ arcsec.
yflxR8	Janskys	REAL	4	-999	Flux from y filter detection within an aperture of radius $r = 11.42$ arcsec.
yflxR8Err	Janskys	REAL	4	-999	Error in flux from y filter detection within an aperture of radius $r = 11.42$ arcsec.
yflxR8Std	Janskys	REAL	4	-999	Standard deviation of flux from y filter detection within an aperture of radius $r = 11.42$ arcsec.
yflxR8Fill	dimensionless	REAL	4	-999	Aperture fill factor for y filter detection within an aperture of radius $r = 11.42$ arcsec.
yflxR9	Janskys	REAL	4	-999	Flux from y filter detection within an aperture of radius $r = 18.20$ arcsec.
yflxR9Err	Janskys	REAL	4	-999	Error in flux from y filter detection within an aperture of radius $r = 18.20$ arcsec.
yflxR9Std	Janskys	REAL	4	-999	Standard deviation of flux from y filter detection within an aperture of radius $r = 18.20$ arcsec.
yflxR9Fill	dimensionless	REAL	4	-999	Aperture fill factor for y filter detection within an aperture of radius $r = 18.20$ arcsec.
yflxR10	Janskys	REAL	4	-999	Flux from y filter detection within an aperture of radius $r = 28.20$ arcsec.
yflxR10Err	Janskys	REAL	4	-999	Error in flux from y filter detection within an aperture of radius $r = 28.20$ arcsec.
yflxR10Std	Janskys	REAL	4	-999	Standard deviation of flux from y filter detection within an aperture of radius $r = 28.20$ arcsec.
yflxR10Fill	dimensionless	REAL	4	-999	Aperture fill factor for y filter detection within an aperture of radius $r = 28.20$ arcsec.

yflxR11	Janskys	REAL	4	-999	Flux from y filter detection within an aperture of radius $r = 44.21$ arcsec.
yflxR11Err	Janskys	REAL	4	-999	Error in flux from y filter detection within an aperture of radius $r = 44.21$ arcsec.
yflxR11Std	Janskys	REAL	4	-999	Standard deviation of flux from y filter detection within an aperture of radius $r = 44.21$ arcsec.
yflxR11Fill	dimensionless	REAL	4	-999	Aperture fill factor for y filter detection within an aperture of radius $r = 44.21$ arcsec.